

CM-30S-B

Chain Mount Base Kit, 14 in stand-off, 8 ft chain



Product Classification

Product Type Chain mount kit

General Specifications

Chains, quantity 2

Pipe, quantity 0

Sectors, quantity 1

Dimensions

Height 152.4 mm | 6 in

Width 203.2 mm | 8 in

Chain Length 2,400.3 mm | 94.5 in

Length 203.2 mm | 8 in

Mounting Diameter, maximum 762 mm | 30 in

Mounting Diameter, minimum 203.2 mm | 8 in


Pipe Outer Diameter 60.96 mm | 2.4 in

Mounting Circumference, maximum 2,392.68 mm | 94.2 in

Mounting Circumference, minimum 635 mm | 25 in

CM-30S-B

Outline Drawing



Material Specifications

Material Type Hot dip galvanized steel

Mechanical Specifications

Wind Rating 120 mph (BWS) at 100 ft AGL

Wind Rating Criteria One 96 in x 10 in panel antenna per sector

Wind Rating Test Method TIA/EIA-222

Environmental Specifications

Man Rating 250 lb vertical man load at 15 mph (BWS)

CM-30S-B

Packaging and Weights

| | |
|---------------------------|------------------------------|
| Included | Brackets Chains Hardware |
| Packaging quantity | 1 |
| Weight, net | 31.8 kg 70.107 lb |

Regulatory Compliance/Certifications

| Agency | Classification |
|---------------|--|
| ISO 9001:2015 | Designed, manufactured and/or distributed under this quality management system |



* Footnotes

| | |
|--------------------|--|
| Man Rating | BWS—w Base Wind Speed |
| Wind Rating | BWS—w Base Wind Speed; FBC—Florida Building Code |